Decoding Observations and Terminal Aerodrome Forecasts



Weather Observer/Forecaster O-LD 18th Weather Squadron Ft Polk, LA



What types of data goes into a weather observation?

- 1. Report Type
- 2. Station ID
- 3. Date Time
- 4. Modifier
- 5. Wind
- 6. Visibility
- 7. RVR
- 8. Weather
- 9. Sky Condition

10.

Temp/Dewpoint

11. ALSTG

Table 5.1. Content of Manual Surface Observations.

Body of Report - Consists of 11 Groups				
Group	Coding Reference	Brief Description	METAR	SPECI/ LOCAL
Type of Report	14.5.1	Indicates type of report.	X	X
Station Identifier	14.5.2	A four-character group used to identify the observing location.	Х	Х
Date and Time of Report	14.5.3	Date and time of the report or when a criterion for a SPECI is met.	Х	Х
Report Modifier	14.5.4	A report modifier (COR) identifying report as a correction.	х	Х
Wind	14.5.5	Indicates wind direction and speed. Gusts are appended if required.	х	Х
Visibility	14.5.6	Provides prevailing visibility from the designated point of observation.	х	Х
Runway Visual Range	14.5.7	Represents the horizontal visibility a pilot will see down the runway.	Х	Х
Present Weather	14.5.8	Any weather occurring at the unit or obscurations to vision.	х	Х
Sky Condition	14.5.9	State of the sky in terms of sky cover, layers and heights, ceilings and obscurations.	Х	Х
Temperature and Dew Point	14.5.10	Measure of hotness/coldness of ambient air. Dew point measures saturation point temperature. (See Note 1).		Х
Altimeter	14.5.11	Indicates altitude above mean sea level (MSL) of an aircraft on the ground.	Х	Х



 Automated Observations report same basic data as Manual Observations

- 1. Report Type
- 2. Station ID
- 3. Date Time
- 4. Modifier
- 5. Wind
- 6. Visibility
- 7. RVR
- 8. Weather
- 9. Sky Cond.
- 10. Temp/Dewpoint
- 11. ALSTG

Table 27.3. Body of AN/FMQ-19 Observations.

Body of Report - Consists of 11 Groups				
Group	Reference	Brief Description		
Type of Report	27.4.1	Indicates type of report.		
Station Identifier	27.4.2	A four-character group used to identify the observing location.		
Date and Time of Report	27.4.3	Date and time of the report.		
Report Modifier	27.4.4	A report modifier (COR) identifying report as a correction, or AUTO indicating the unit has no augmentation or backup.		
Wind	27.4.5	Indicates wind direction and speed. Gusts are appended if available.		
Visibility	27.4.6	Provides prevailing visibility from the designated point of observation.		
Runway Visual Range	27.4.7.	10-minute RVR or varying RVR in hundreds of feet.		
Present Weather	27.4.8	Any weather occurring at the unit (station) or obscurations (obscurations) to vision.		
Sky Condition	27.4.9	State of the sky in terms of sky cover, layers and heights, ceilings and obscurations.		
Temperature and Dew Point	27.4.10	Measure of hotness/coldness of ambient air. Dew point measures saturation point temperature.		
Altimeter	27.4.11	Indicates altitude above MSL of an aircraft on the ground.		



- Basic NON-Weather data:
 - 1. Report Type: METAR, SPECI, LOCAL
 - 2. Station ID: KPOE, etc.
 - 3. Date Time (Zulu): 24/1155z
 - 4. Modifier: AMD, COR, AMD COR, RTD
- Basic Weather data:
 - 5. Wind: 36009KT, VRB06KT
 - 6. Visibility: 7sm, 9999 m
 - 7. RVR: Runway Visual Range (m)
 - 8. Weather: -RA, FG, +FC, etc.
 - 9. Sky Cond: SKC, FEW, SCT, BKN, OVC
 - 10. Temp/Dewpoint: 25/20 (degrees

Celsius)

Part I. Decoding Obsessions Odosessions



These are examples of some less common codes for weather phenomena and observation criteria that will not be discussed in the length of this brief, due to uncommon

usage.*

AFMAN15-124PACAFSupl 3 MARCH 1998

	QUALIFIER		WEATHER PHENOMENA		
	INTENSITY	DESCRIPTOR	PRECIPITATION	OBSCURATION	OTHER
	OR				
	PROXIMITY				
	(well-devel- oped in the case of dust/ sand whirls, dust devils and tornadoes/wa- terspouts)	DR Low Drifting	SG Snow Grains	VA Volcanic Ash	SS Sandstorm
	VC In the Vi- cinity	BL Blowing	IC Ice Crystals (Diamond Dust)	DU Widespread Dust	DS Duststorm
		SH Shower(s)	PE Ice Pellets	SA Sand	
		TS Thunderstorm	GR Hail	HZ Haze	
ے		FZ Freezing (Su- percooled)	GS Small Hail and/ or Snow Pellets	PY Spray	

* Links to applicable websites for uncommon observation/forecast decoding data will be provided at the end of

THE PARTY OF THE P

- Example Observations:
- 1. METAR (regular ob)
 - 2. SPECI* (special ob) LOCAL* (locally-sent ob)

Figure 14.1. Examples of Non-N-TFS Local Dissemination Formats.

METAR	SPECI	LOCAL
ETAR METAR 0756	RJTY SPECI 1614	EGUN LOCAL 1930
07007KT 040V100 1300	03005KT 3/8	23003KT 8000 HZ
R09/1220 -RA BR	R36/2400 –RA FG	SCT037 BKN280
SCT000 SCT008 OVC012	FEW000 SCT006	ALSTG 29.89
01/M01	BKN016 10/09	31/BP
ALSTG E29.38	ALSTG 29.81	
CIG 010V015 VIS N 3200	VIS 1/4V3/4 TWR VIS 5/8	
TWR VIS 1600	FG SCT000	
BR SCT000	CIG LWR W	
PA +210 WR// 57/DR	PA+560 16/DY	

* SPECI and LOCAL observations will often contain less data than regular or METAR observations.



Example Observations (cont'd.):

* All info below from METAR observation on second line

(RJTY)

- 1. Report Type METAR
- 2. Station ID KPOE
- 3. Date Time 011058Z
- 4. Modifier COR
- 5. Wind 02010G17KT
- 6. Visibility 4000
- 7. RVR N/A
- 8. Weather HZ
- 9. Sky Cond. SCT007, etc
- 10. Temp/Dp 20/17 11. ALSTG A3019

Figure 14.3. Examples of Longline Dissemination.

METAR Observations

METAR ETAR 010756Z VRB06KT 040V100 1400 R09/1220 -RA BR SCT000 SCT008 OVC012 01/M01 A2938 RMK CIG 010V015 VIS N 3200 TWR VIS 1600 BR SCT000 SLPNO ESTMD ALSTG 8/5// WR//;

METAR RJTY 011058Z COR 02010G17KT 1400 R36/4000 HZ SCT007 BKN020 OVC070 20/ 17 A3019 RMK VIS N 3200 TWR VIS 1600 SLP015 ALSTG/SLP ESTMD 8/55/ COR 1104:

METAR KBLV 011158Z 27004KT 3/4SM R32/P6000FT-RA BR FEW000 SCT005 OVC020 00/M01 A2992 RMK TWR VIS 2 BR FEW000 SLP982 ALSTG/SLP ESTMD 60100 70010 4/002 8/5// 10010 21002 52010 WR//:

METAR ETIU 011157Z 30003KT 9999 SKC M04/M10 A3003 RMK SLP985 70010 4/002:

METAR RKSY 010358Z 00000KT 0800 RVRNO FG VV011 24/24 A2998 RMK TWR VIS 1000 SLP982;

METAR ETAB 010655Z 24010G18KT 9999 TS SCT020CB BKN035 30/27 A2993 RMK TS 5SW MOV NE OCNL LTGCACC SLPNO 8/900;

METAR KLTS 011157Z 24012KT 10SM -TSRA FEW008 FEW025TCU SCT030CB 25/ A2992 RMK TS 5NE MOV SE OCNL LTGCG SCT030 V BKN PK WND 28045/10 FU FEW008 TCU SE-S SLPNO 60010 70010 8/300 52010;

Part II. Decoding Terminal Aerodrome Forecasts (TAFs)



What types of data goes into a weather observation?

Though it may look confusing, the data types entered for forecasts (TAFs) are virtually identical to those used in official weather observations.

- 1. Report Type TAF
- 2. Station ID CCCC
- 3. Date Time YYGGGG
- 4. Modifier COR, etc.
- 5. Wind dddff (KTs)
- 6. Visibility VVVV
- 7. RVR Not Used*
- 8. Weather w'w'
- 9. Sky Condition SKC, etc.
- 10. **Max/Min Temp** TT/GG (z)
- 11. ALSTG PPPP

1.3. TAF Encoding.

1.3.1. TAF Code Format. Use the following format for encoding TAFs:

MESSAGE HEADING

CCCC TAF (AMD, COR, RTD, or AMD COR) YYG1G1G2G2 dddffGfmfmKT

VVVV w'w' N₅N₅N₅h₅h₅h₅h₅CC or VVh₅h₅h₅ or SKC (WSh_xh_xh_x/dddfffKT or

WSCONDS) $(6I_ch_ih_ih_it_L)$ $(5Bh_Bh_Bh_Bt_L)$ QNHP₁P₁P₁P₁INS (Remarks)

TTTTT GGGeGe or TTGGgg dddffGfmfmKT...same as above...(Remarks)

 $T(M)T_FT_F/G_FG_FZ \quad T(M)T_FT_F/G_FG_FZ \quad AMD, COR, or \ AMD \ COR \ GGgg$

(Limited-Duty Location Remarks).

Part II. Decoding Terminal Aerodrome Forecasts



(BASES)ON-Weather data:

- 1. Report Type: METAR, SPECI, LOCAL
- 2. Station ID: KPOE, etc.
- 3. Date Time (Zulu): 24/1155z
- 4. Modifier: AMD, COR, AMD COR, RTD

Basic Weather data:

- 5. Wind: 36009KT, VRB06KT
- 6. Visibility: 7sm, 9999 m
- 7. RVR: **NOT USED**
 - 8. Weather: -RA, FG, +FC, etc.
 - CVC FEW CCT DVA
 - 9. Sky Cond: SKC, FEW, SCT, BKN, OVC 10. Temp/Dewpoint: 25/20 (degrees

Celsius)

Part II. Decoding Terminal Aerodrome Forecasts (TAFs)



NON-Basic Weather data:

These are examples of some less common codes for weather phenomena and observation criteria that will not be discussed in the length of this briefing*

AFMAN15-124PACAFSupl 3 MARCH 1998

QUALIFIER		WEATHER PHENOMENA			
INTENSITY OR PROXIMITY	DESCRIPTOR	PRECIPITATION	OBSCURATION	OTHER	
(well-devel- oped in the case of dust/ sand whirls, dust devils and tornadoes/wa- terspouts)	DR Low Drifting	SG Snow Grains	VA Volcanic Ash	SS Sandstorm	
VC In the Vi- cinity	BL Blowing	IC Ice Crystals (Diamond Dust)	DU Widespread Dust	DS Duststorm	
	SH Shower(s)	PE Ice Pellets	SA Sand		
	TS Thunderstorm	GR Hail	HZ Haze		
	FZ Freezing (Su- percooled)	GS Small Hail and/ or Snow Pellets	PY Spray		

* Links to applicable websites for uncommon observation/forecast decoding data will be provided at the end of

Part II. Decoding Terminal Aerodrome Forecasts (TAFs)



Example Forecast:

EXAMPLES: RODN TAF 1515 06008KT 9999 BKN050 OVC130 QNH3008INS BECMG 1112 17010G15KT 6000 -SHRA FEW007 SCT010 BKN025 BKN040 OVC070

510004 QNH2994INS T22/05Z T14/21Z;

PAEI TAF 1313 34005KT 9999 SCT007 BKN070 QNH2972INS

BECMG 1011 00000KT 0400 FG VV002 QNH3010INS TM09/21Z TM31/12Z;

Decoded Data:

1. Station ID: RODN, PAEI (2 separate

ID's)

2. Date Time Group: (date missing) 15z – 15z

(24 hour

period)

3. Wind: 06008KT (knots)

4. Visibility: 6000 (meters)

5. Sky Cond: BKN050 (hundreds of feet AGL)

Part III. De Ridder Air Field

De Ridder Air Field (KDRI):

Automated Weather Info and briefings available by phone:

Toll-free #: (866) 401- 5659

FAA INFORMATION EFFECTIVE 05 AUGUST 2004 Location

FAA Identifier:

DRI Lat/Long: 30-49-54.200N /

093-20-23.700W

30-49.90333N / 093-20.39500W

30.8317222 / -93.3399167

(estimated)

Elevation: 202 ft. / 61.6 m

(surveyed)

Variation: 04E (1990)From


city: 3 miles SW of DE RIDDER,





Part IV. Conclusion / Q & A





- - National Weather Service: http://www.nws.noaa.gov
 - Air Force Publications: http://www.e-publishing.af.mil
 - Site Forecasts (CONUS): http://www.airnav.com
 - De Ridder Air Field info:

http://www.faa.gov/ats/afss/bdrafss/HTML/cellphone.htm

Applicable Publications:

- AFMAN 15-111 Surface Weather Observations
- AFMAN 15-124 Meteorological Codes
- AFMAN 15-129 Air and Space Weather Observations
- AFWA TN-98/002 Meteorological Tools